

Notice of Allowability

Application No.

10/701,837

Applicant(s)


STAMM, WERNER

Examiner

Robert R. Koehler

Art Unit

1775



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the originally-filed papers of 11/05/03 and the new Declaration of 09/27/04.
2. ☒ The allowed claim(s) is/are 1-6.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☒ Certified copies of the priority documents have been received in Application No. 10/279,580.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 11052003
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____



ROBERT R. KOEHLER
PRIMARY EXAMINER

ART UNIT 1775

Art Unit: 1775

DETAILED ACTION

Allowable Subject Matter

Claims 1 to 6 are allowed.

The following is an examiner's statement of reasons for allowance: The Examiner's statement of reasons for allowance in application Serial Number 10/279,580 (now abandoned) can be presented for the allowed claims in this Continuation-In-Part application. Applicant's claims require the presence of only one protective layer (and excludes multiple protective layers) for protecting a component against corrosion and oxidation at high temperatures wherein the single protective layer must contain nickel and/or cobalt, rhenium, and ruthenium, and wherein the ruthenium is present in at least a measurable amount up to 1 weight percent. The Examiner continues to believe that applicant's claimed protective layer for a component substrate is an improvement over the prior art whenever the claimed protective layer exists only as a single layer on the component substrate and the claimed protective layer possesses ruthenium in at least a measurable amount up to 1 weight percent.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Robert Koehler whose telephone number is (571) 272-1536. The Examiner can normally be reached on Tuesday to Friday from 9:30 AM to 7:00 PM. The Examiner can also be reached on alternate Mondays.

Art Unit: 1775

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Deborah Jones, can be reached on **(571) 272-1535**. The fax phone number for the organization where this application or proceeding is assigned is **703-872-9306**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at **866-217-9197** (toll-free).



ROBERT R. KOEHLER
PRIMARY EXAMINER

Art Unit 1775
December 12, 2004